

Historic, Archive Document


Do not assume content reflects current
scientific knowledge, policies, or practices.

62-17
HORSFORD'S AUTUMN
SUPPLEMENT FOR 1904

U.S. LIBRARY
Department of Agriculture
Washington, D. C.

HARDY PLANTS

from a Hardy Climate



1904
FRED'K H. HORSFORD
CHARLOTTE, VERMONT, U. S. A.

Introduction

Autumn planting of Hardy Perennials has become about as popular as spring planting with many who have tried it. In fact, many of my customers insist that their plants set in autumn have, as a rule, done better than those set in spring. I am inclined to recommend early autumn planting, so that the plants may have time to make some root-growth before winter, and also to recommend protecting all with a mulch the first year. After plants are established this is not so necessary, as the growth they produce will in a measure protect them the second winter. Bulbs which are entirely underground can be planted later, but even these make a root-growth in autumn and are better set before cold weather comes.

Parties who wish to call me by telephone will please do so at 12.30 and 6.30 p. m. during the shipping season.

LILIES

Most of the Lilies of this list may be set in September, but a few like Auratum, and all the Speciosums, Sulphureum, Henryi and Maximowiczi Red, are not ripe until October. Orders will be filled from beds as long as my stocks last, but for the most part the Auratums, Candidums and Longiflorums will be imported.

For cultural directions and more definite description please see Spring Catalogue, which has been mailed.

These prices do not include postage, but simply bulbs boxed and delivered to my nearest freight or express office. See spring list for free delivery by mail.

	Each	Doz.
<i>Lilium auratum</i> . Ready in November.....	\$0 15	\$1 35
<i>L. bulbiferum</i>	20	
<i>L. Brownii</i>	50	5 00
<i>L. Canadense</i> (Meadow Lily)	10	1 00
<i>L. candidum</i> (Madonna Lily). Should be set before October	15	1 40
<i>L. Chalcedonicum</i> . Handsome scarlet flowers.....	50	
<i>L. croceum</i> . Golden yellow; blooms next after Da- huricum	per 100, \$7..	12 1 15
<i>L. Dahuricum</i> . No Lily in the world can be grown farther north and is more reliable in every way than this. It will soon increase and form clumps like the Tiger Lily	12	1 15
<i>L. elegans</i> , var. <i>atrosanguineum</i> . Deep red	20	
<i>L.</i> " var. <i>atropurpureum</i> . Darkest red form of <i>Elegans</i>	20	
<i>L.</i> " var. <i>aurantiacum multiflorum</i> . A fine hardy and healthy form of this red- dish yellow flower.....	per 100, \$7..	15 1 10
<i>L.</i> " var. <i>Best Red</i> . A medium kind as to height; very vigorous and healthy....	10	1 00
<i>L.</i> " var. <i>Cloth of Gold</i>	40	
<i>L.</i> " var. <i>fulgens</i> (<i>Batemanianæ</i>). Good height; erect; reddish salmon flowers; fine...	15	1 30
<i>L.</i> " var. <i>Incomparabilis</i> . Red	30	
<i>L.</i> " var. <i>nigromaculatum</i> . A dwarf form, with salmon-yellow flowers; much later than most varieties	20	1 25
<i>L.</i> " var. <i>Thunbergianum</i>	per 100, \$6..	10 1 00
<i>L.</i> " var. <i>umbellatum</i>	15	1 20
<i>L.</i> " var. <i>Wallacei</i> . A fine, low-growing hardy variety, almost as late as <i>Nigromacu-</i> <i>latum</i> , and with reddish yellow flowers.	10	1 00
<i>L.</i> " <i>Mixed</i>		75
<i>L. excelsum</i> . See <i>L. testaceum</i> .		

	Each	Doz.
<i>Lilium Grayi</i> . Dark orange-red; fine for cutting, with white flowers. Earlier than most Lilies ...	\$0 25	\$2 50
<i>L. Hansonii</i> . See <i>L. maculatum</i> .		
<i>L. Henryi</i> . Somewhat like <i>Speciosum</i> , but has orange-yellow flowers. Rare	1 00	10 00
<i>L. Humboldtii</i> . See <i>L. puberulum</i> .		
<i>L. Japonicum</i> , var. <i>roseum</i> (<i>Krameri</i>)	20	
<i>L. Krameri</i> . See <i>L. Japonicum roseum</i> .		
<i>L. Leichtlinii</i> . See <i>L. Maximowiczii</i> .		
<i>L. longiflorum</i> . Long, funnel-shaped flowers, pure white; fine	15	1 25
<i>L. maculatum</i> (<i>Hansonii</i>). One of the most perma- nent	75	
<i>L. Maximowiczii</i> . Yellow	75	
<i>L.</i> " Reddish form	20	1 50
<i>L. monodelphum</i> (<i>Colchicum</i>). A fine, early, creamy yellow Lily, with flowers tipped with wine-color at base	60	
<i>L. pardalinum</i> . Orange-red, with lighter center....	15	1 50
<i>L. Philadelphicum</i> . Erect; deep orange-red flowers.	12	1 15
<i>L. pomponium</i> . Red flowers	35	
<i>L.</i> " var. <i>Pyrenaicum</i> . Yellow flowers....	25	
<i>L. puberulum</i> (<i>Humboldtii</i>). A most beautiful kind. Plant deep in well-drained soil	50	
<i>L. speciosum</i> , var. <i>album</i> . Delicate white flowers...	25	1 65
<i>L.</i> " var. <i>Kraetzerei</i>	30	
<i>L.</i> " var. <i>roseum</i>	25	
<i>L.</i> " var. <i>rubrum</i> . One of the best of the Japan Lilies; red and white flowers	15	1 25
<i>L. sulphureum</i> (<i>Wallichianum superbum</i>). Flowers long and large, funnel-shaped, sulphur-yellow within, chocolate-white without. A grand Lily.	1 00	10 00
<i>L. superbum</i> (<i>American Turk's Cap Lily</i>). One of the taller growing kinds when well established in rich soil	15	1 25
<i>L. testaceum</i> (<i>excelsum</i>). A rare and fine Lily, with nankeen-yellow flowers on tall and graceful stems. Rather early in summer	50	
<i>L. tenuifolium</i> (<i>Coral Lily of Siberia</i>). Handsome scarlet flowers	20	1 40
<i>L. tigrinum</i> (<i>Tiger Lily</i>)	08	80
<i>L.</i> " var. <i>plenescens</i> (<i>Double Tiger Lily</i>)	15	1 35
<i>L.</i> " var. <i>splendens</i>	10	1 10
<i>L. Wallacei</i> . See <i>L. elegans</i> , var. <i>Wallacei</i> .		
<i>L. Wallichianum superbum</i> . See <i>L. sulphureum</i> .		

DAFFODILS, OR NARCISSI

Early-flowering bulbous plants, coming before the tulips and after the crocus. One of the most important groups; fine for cutting and of easy culture. Though any good garden soil suits, they prefer a rather stiff, deep soil, and if the situation is such that they are shaded from the sun a portion (a third or half) of the time, so much the better. They do well among shrubbery. To get the best results, they should be set in August or September, so as to make a good root-growth before winter. When late setting is done, the best results are postponed until the second season.

If by mail, add 6 cts. per doz. for those without stars, and 10 cts. per doz. for those marked with a star

	Each	Doz.
*N. bicolor Empress. Very large flowers; white perianth, rich yellow trumpet; strong grower, and fine for cutting.....per 100, \$7..	\$0 10	\$1 00
*N. bicolor Horsfieldii. Very large and early; yellow trumpet and white perianth...per 100, \$5..	08	80
N. bicolor, Mrs. Walter T. Ware. A fine new sort, with broad white perianth and golden trumpet.	25	
N. bulbocodium citrinum (Hoop-petticoat Daffodil).	05	35
N. Burbidgei. One of the most charming for cutting. Clear white cup, margined bright cinnamon red; a beautiful early-flowering form of Poeticus, which comes before <i>Poeticus ornatus</i> . Very effective when bunched. The color of the cup is very rich when cut in bud and opened under glassper 100, \$1..	05	40
N. Burbidgei, John Bain. Large and broad white perianth, with small, citron-yellow cup and orange-scarlet edge.....	08	50
N. Henry Irving. Noted for its deep yellow, imbricated, wheel-shaped perianth, and large and handsome yellow trumpet.....	10	75
N. incomparabilis, Queen Bess.....	05	45
*N. Johnstoni, Queen of Spain. One of the best of new Daffodils. Soft cream, delicate clear yellow trumpet; perianth same color, reflexing. Flowers vary slightly in size.....	10	1 00
N. Leedsii. Silvery white, starry perianth; lemon-yellow cup, passing to white. A beautiful sweet-scented flower; fine for bouquets...per 100, \$1.50.	03	25
N. poeticus.....per 100, \$1.25..	03	25
N. poeticus ornatus. One of the earliest of the Poet's Narcissi; a free bloomerper 100, \$1.50..	05	35
N. princeps. Sulphur-yellow perianth and deep yellow trumpet. A fine variety.....	08	50
N. Jonquilla. Single yellow Jonquils; yellow, fragrant flowers.....per 100, 90 cts...		25

	Each	Doz.
Narcissus alba plena odorata (The Double Poet's Narcissus). One of the most charming white-flowered sorts; fine for cutting	\$0 05	\$0 35
N. incomparabilis, Double (Butter and Eggs). A large and showy double variety. One of the largest of the double sorts per 100, \$2..	05	40
*Mixed Daffodils , to naturalize in meadows, etc. A first-class mixture, comprising many of the best herein listed per 100, \$1..	05	30

CROCUSES

The ordinary spring-flowering Crocus will thrive in nearly all soils and positions.

Add 5 cents per dozen if to be sent by mail

	Doz.	100
Mixed Crocuses	\$0 10	\$0 60
“ “ Striped	15	60
“ “ White	10	60
“ “ Yellow	20	1 25
“ “ Blue and Purple	10	60

TULIPS IN MIXED COLORS

Tulips like good drainage, and when planted over a gravelly subsoil or bottom succeed best. It is a good plan to surround the bulbs with sand, unless they are put into a sandy soil. A depth of 4 inches is none too deep for cold climates. Set the bulbs 5 or 6 inches apart.

In ordering Tulips by post, add 6 cents per dozen for postage

	Doz.	100
Large Early Single	\$0 20	\$1 00
“ Late “	25	1 25
“ Early Double	35	2 00
“ Late “	40	2 25

100 Tulips in the above four kinds, 25 of each, for \$1.25; 400 bulbs, 100 of each, \$4.

Canary Bird	40	2 00
White Single	35	1 50
Duc Van Thol	25	
Mixed	20	1 00
Parrot	40	2 30
Artus. Single; bright scarlet	25	
Darwins, Mixed	40	2 00
Duke of York	40	
Queen of the Netherlands each, 20 cts...		

ERYTHRONIUMS

(Dog's-Tooth Violets)

Early-blooming, bulbous plants, which must be set in autumn. They come up among the first flowers of spring, and are very interesting, both in flower and leaf.

Add 3 cents per dozen if by post

	Each	Doz.
Erythronium Americanum (Common Adder-Tongue). Handsome bright yellow flowers; hardy	\$0 08	\$0 50
E. grandiflorum. A large yellow species from the Pacific coast	06	45

FRITILLARIAS

These like a sandy or gravelly soil, with good drainage.

Add 5 cents per dozen for postage for those without stars, and 10 cents for those marked with a star

	Each	Doz.
*Fritillaria imperialis (Crown Imperial)	\$0 15	\$1 30
F. Meleagris. Various shades of purple, light yellow, etc.	05	40

HYACINTHS FOR BEDS

Hyacinths like a light, loamy soil and full sun. A light coating of well-composted manure, if the ground is not already well supplied, will be of value. Plant about 3 inches deep, and if the best flowers are desired the bulbs should be from 7 to 9 inches apart.

Add 16 cents per dozen for postage if by mail

	Each	Doz.
Double Mixed	\$0 10	\$0 80
Single Mixed	09	70

TRILLIUMS

American Wood Lily, Indian Shamrock, or Three-Leaved Nightshade

For the Shady Corner

Like most early-blooming plants, Trilliums give better results the following spring when planted in autumn in time to make their regular root-growth, which seems to take place a few weeks after the stems have died. They form a very pretty group, which comes into bloom early, and whose leaves make a good display after the flower has passed. Trilliums like a light soil, with a mixture of leaf-mold or peat, and for most of them a little well-rotted manure will be beneficial. Although they may, as a rule,

be grown in the sun, a partial shade is the most natural place. They look best when in good-sized groups. In a good position they last almost indefinitely.

Add 10 cents per dozen if by mail

	Each	Doz.
<i>Trillium cernuum</i> . White	\$0 10	\$1 00
<i>T. erectum</i> . Purple	10	1 00
<i>T. " albidum</i> . White	10	1 00
<i>T. nivale</i> . White.....	20	1 75
<i>T. grandiflorum</i> . White. per 100, \$2.50..	05	40
<i>T. sessile</i>	10	1 00
<i>T. " var. giganteum</i> . White.....	15	1 25
<i>T. erythrocarpum</i> (Painted Trillium)	10	1 00



ENGLISH IRIS

BULBOUS IRIS

For fuller list of Iris, see my Spring Catalogue.

	Each	Doz.
<i>Iris Histrio</i> . Flowers delicate porcelain-blue ; very early	\$0 15	\$1 50
<i>I. Persica</i> . Flowers very early ; pale lilac, dark purple and yellow	12	1 10

	Each	Doz.
IRIS reticulata , var. Krelagei . Flowers reddish purple; early.....	\$0 15	\$1 30
I. " , var. histrioides . Flowers bright blue; very early.....	20	1 50
I. Susiana (Mourning Widow). A large, striking species from Asia Minor. One of the best for pot culture.....	15	1 35
I. Xiphium (Spanish Iris). Very fine bulbous flowering plants, coming into bloom soon after the German Iris, with blue, white and yellow flowers.....	05	35
I. xiphoides (English Iris). Large flowers in handsome blue and white colors, about as tall as the Spanish Iris, and coming just after it	08	60


Miscellaneous Bulbs and Plants

Which, because they bloom early, or for other reasons, are set in autumn.

See my Spring Catalogue for cost of postage if sent by mail

	Each	Doz.
Allium tricoccum (Wild Leek).....	\$0 10	\$1 00
Arisæma triphyllum (Indian Turnip)	12	1 00
Camassia Cusickii (Giant Camas).....	10	1 00
Campanula Raineri	15	1 25
Claytonia Virginica (Spring Beauty).....	06	55
Colchicum . A curious, hardy, bulbous plant, with foliage and fruit in early summer, while the flower comes in autumn. The foliage dies down before the flowers appear. Stems 3 to 6 inches high. Sometimes called the Autumn Crocus.		
C. autumnale . Reddish purple.....	08	75
C. " var. album	08	70
C. variegatum . Rose-purple	06	65
Dicentra Canadensis (Squirrel Corn)	06	50
Dodecatheon Meadia	12	1 10
Eremurus robustus . See Spring List.....	2 50	
Leucojum æstivum (Summer Snowflake). Blooms last of April. White flowers, tipped green	05	50
Mertensia pulmonarioides (Virginica). The Virginia Cowslip. See Spring List.....	10	1 00
Ornithogalum Arabicum (Star of Bethlehem).....	06	60
Platycodon (Campanula, or Chinese Bell-flower). One of the most attractive hardy perennials to people who like a blue or white flower. It should be planted so that the buds are an inch under. For cutting they are very fine, and last for many days.		
P. grandiflorum . Blue flowers	10	1 00
P. " var. album	25	
P. " var. autumnale	15	1 30

	Each	Doz.
<i>Platycodon Mariesi</i> . More dwarf in growth.....	\$0 12	\$1 15
<i>Podophyllum peltatum</i> (Wild Mandrake).....	10	1 00
<i>Polygonatum biflorum</i> (Smaller Solomon's Seal)....	15	1 25
<i>P. giganteum</i> (Great Solomon's Seal).....	20	



PLATYCODON GRANDIFLORUM (See page 7)

Herbaceous Plants Not Offered in Spring List

Not prepaid; if by mail ask for price of postage

	Each	Doz.
<i>Actæa alba</i>	\$0 15	\$1 15
<i>A. spicata rubra</i>	15	1 15
<i>Actinomeris squarrosa</i>	15	
<i>Anemone Japonica</i> , Mont Rose	15	

	Each	Doz.
<i>Aquilegia Sibirica</i> . A fine purple-flowered Colum- bine.....	\$0 15	\$1 25
<i>A. fascicularis</i>	15	
<i>A. Skinneri</i>	15	
<i>Arisæma Dracontium</i>	15	
<i>Arenaria lancifolia</i>	12	
<i>Armeria maritima</i>	12	
<i>Aster multiflorus</i>	15	
<i>A. Tataricus</i>	15	
<i>A. lævis</i>	15	
<i>Astilbe Chinensis</i>	20	
<i>Baptisia australis</i>	15	
<i>Calameris incisa</i>	15	
<i>Caltha biflora</i>	15	
<i>Calla palustris</i>	15	
<i>Campanula persicifolia</i> , var. <i>grandiflora</i> (Back- housii).....	15	
<i>C. fragilis</i>	12	
<i>C. Vidalli</i>	15	
<i>Chamælririum Carolinianum</i> (Devil's Bit).....	15	
<i>Chrysanthemum parthenium</i> fl. pl.	12	1 15
<i>Clematis integrifolia</i> , var. <i>Durandii</i>	25	
Double Buttercup.....	10	80
<i>Delphinium elatum</i>	12	
<i>D. grandiflora</i> . Blue.....	12	1 25
<i>D.</i> " White.....	12	1 25
<i>D. speciosum</i>	12	
<i>Dracocephalum nigricans</i>	12	1 15
<i>Dianthus superbus</i>	12	1 25
<i>D. barbatus atrosanguineus</i>	12	1 10
<i>Epimedium liliaceum</i>	20	
<i>Echinops Davuricus</i>	15	
<i>Helianthus divaricatus</i>	10	1 00
<i>Helenium autumnale</i> , var. <i>magnificum</i>	20	
<i>Iberis corifolia</i>	15	
<i>I. Gibraltarica</i>	12	1 15
<i>Iris Germanica</i> , var. <i>stenophylla</i>	15	
<i>I.</i> " var. <i>Judith</i>	12	1 10
<i>I.</i> " var. <i>Rebecca</i>	15	
<i>I.</i> " var. <i>Garibaldi</i>	15	
<i>I.</i> " var. <i>Harold</i>	15	
<i>I.</i> " var. <i>Souvenir</i>	12	

	Each	Doz.
<i>Iris Germanica</i> , var. <i>Miss Hazeltine</i>	\$0 15	
I. " var. <i>Edinal</i>	15	
I. " var. <i>Walter Scott</i>	15	
I. " var. <i>Socrates</i>	15	
I. " var. <i>Honorable</i>	15	
I. Sp., var. <i>livida</i>	10	\$1 00
I. <i>verna</i>	12	1 10
<i>Phlox paniculata</i> , var. <i>White Lady</i>	15	
P. " var. <i>The Queen</i>	15	
P. " var. <i>Lucy Ballet</i>	15	
P. " var. <i>Marietta</i>	15	
<i>Pæonia albiflora</i> , var. <i>Jeanne d'Arc</i> . Double white..	45	
P. " var. <i>rosea gloriosa</i>	45	
P. " var. <i>L'Excellente</i>	45	
P. " var. <i>Mons. D'Offrey</i>	40	
P. " var. <i>alba marginata</i>	40	
<i>P. officinalis rosea plena</i>	35	
<i>Polemonium Himalayense</i>	12	
<i>P. foliosissimum</i>	15	
<i>Pentstemon pubescens</i>	15	
<i>Phegopteris polypodioides</i>	12	
<i>Pansies</i> , <i>Snow Queen</i>		35
P., <i>English Show</i>		35
P., <i>Emperor William</i>		35
P. <i>aurea purpurea</i>		35
P., <i>King of the Blacks</i>		35
<i>Phlox pilosa</i>	15	
<i>Salvia verticillata</i>	10	
<i>Scabiosa caucasica</i>	20	
<i>Sedum atrosanguineum</i>	20	
S. <i>reflexum</i>	12	1 15
S. <i>pallidum roseum</i>	15	1 15
<i>Trillium cernuum</i>	12	
<i>Ulmaria palmata</i>	15	
<i>Veronica maritima</i>	20	
V. Sp., <i>Blue</i>	08	80
<i>Viola pubescens</i>	10	
V. <i>rotundifolia</i>	12	
V. <i>cornuta</i> , <i>Blue Perfection</i>	10	
<i>Vitis riparia</i> (<i>Frost Grape</i>).....	12	

WOODY PLANTS

	Each	Doz.
<i>Acer platanoides</i> , var. <i>Reitenbachii</i> . 3 to 4 ft.	\$0 60	
<i>Æsculus Hippocastanum</i> , var. <i>Double White</i>	50	
<i>Ailanthus glandulosus</i> (Tree of Heaven). 4 to 6 ft..	40	
<i>Acanthopanax pentaphylla</i> . 3 ft.	25	
<i>Austrian Pine</i> . 2 to 3 ft.	30	
<i>Balsam</i> (<i>Abies balsamea</i>). 12 to 15 in.	20	
<i>Bignonia grandiflora</i>	25	
<i>Catalpa speciosa</i> . 5 ft.	40	
<i>Celastrus orbiculatus</i> (Japan Bitter Sweet)	15	
<i>Cornus circinata</i> . 18 to 24 in.	15	
<i>Cotoneaster horizontalis</i> . 1 ft.	15	
<i>Cratægus coccineus</i> (Cockspur Thorn). 3 ft.	20	
<i>C. Oxyacantha</i> (Hawthorn). 2 to 3 ft.	15	\$1 15
<i>Daphne Mezereum</i> . 1 ft.	20	
<i>Deutzia crenata</i> . 2 to 3 ft.	20	
<i>Hydrangea arborescens</i> . 12 to 18 in.	20	
<i>Lilac</i> , Common. 18 to 36 in.	20	
<i>L.</i> , Common White. 2 to 2½ ft.	20	
<i>Ligustrum Ibota</i> , var. A hardy form	15	
<i>Myrica cerifera</i> . 12 in.	15	
<i>Nemopanthes fascicularis</i> . 12 to 18 in.	20	
<i>Philadelphus Lemoinei</i> . 2 ft.	25	
<i>Populus angustifolia</i> . 4 to 6 ft., from Col.	20	
<i>Pseudotsuga Douglasii</i> (Douglas' Spruce). 18 to 30 in.	40	
<i>Rhus aromatica</i> . 12 to 20 in.	12	1 15
<i>Rosa alpina</i> . 2 ft.	10	
<i>Spiræa alnifolia</i> . 2 to 3 ft.	20	
<i>Syringa</i> , Marie Lemoine. 2 ft.	65	
<i>Viburnum Opulus</i> (High-Bush Cranberry). 18 to 36 in.	20	1 50
<i>V. cassinoides</i>	20	

Bargain List

I have offered for several years in my Fall Supplement this list of special bargains, which has resulted in a large trade in this way. These sets are made up of plants mentioned in my Spring List, and are offered cheaper in this way than in smaller lots because we have a larger stock of these, and in autumn we have more time to fill orders. These offers are not open to spring delivery, because then we cannot spare the time they require in filling. Those wishing to take advantage of any offers for shrubs, trees, etc., in this list, for spring setting, can get them in Novem-

ber, and cover them in any well-drained soil, leaving only the tips of the branches exposed, where they will keep in perfect condition, and may be set in spring as soon as the ground is ready. For cost of boxing trees and shrubs, see my Spring Catalogue. These prices do not include postage. Parties wishing these sets by mail will be given cost of postage upon application, where mailing is possible. We can ship safely by freight in autumn most of the plants we grow, even as far as California. These offers are subject to surplus stock not being sold. This stock is not a poorer grade than is used in filling orders for single or dozen lots. Evergreens should not be ordered after October 1, and deciduous trees and shrubs had better not be moved before October. Bulbs and plants which are entirely covered when set can be ordered until winter prevents.

Shrubs, trees and plants set in autumn, and mulched well before winter to prevent heaving, often do better than when set in spring, especially when spring setting is late. Trees may be banked up 6 to 10 inches with soil, shrubs mulched with 2 to 3 inches of straw manure, and herbaceous plants covered lightly with brush, pine boughs, buckwheat straw or any similar substance that will protect without smothering.

Please do not ask us to divide up these offers nor to fill orders from this list after December.

25	<i>Anemone sylvestris</i>	\$1 10
25	<i>A. Japonica</i> . 2 colors	1 85
25	<i>Aquilegia</i> (Columbines). 2 kinds	1 45
25	<i>A. Canadensis</i>	1 50
25	American Larch. 2 feet	1 25
25	<i>Aruncus astilboides</i>	1 25
25	<i>Boltonia asteroides</i>	1 15
25	Box Maples. 5 to 6 ft.	1 75
10	Black Walnuts. 4 to 6 ft.	1 00
25	Campanulas. 4 kinds	1 35
25	<i>C. Carpatica</i> . Mixed	1 50
25	<i>C. Raineri</i>	1 55
25	Cardinal Flowers	1 40
25	Cornels, or Dogwoods. 3 to 4 ft.	1 75
25	<i>Clethra alnifolia</i> . 1 to 2 ft.	1 30
25	<i>Clematis</i> . 3 kinds	1 60
25	<i>C. orientalis</i>	1 30
25	Cone Flowers. 2 kinds	1 30
25	<i>Cornus candidissima</i> . 2 to 3 ft.	1 40
25	Chimney Bell Flowers	1 90
25	<i>Coreopsis</i> . 2 kinds	1 70
25	Delphiniums, Kelway's Selection.	1 55
25	<i>Digitalis purpurea gloxinoides</i>	1 75
25	<i>D. lanata</i>	1 00
25	<i>D. ambigua</i>	1 45
15	Dodecatheon Meadia (Shooting Star)	1 05
25	Dragon's Heads (<i>Dracocephalum</i>). 2 kinds	1 75
25	European Larch. 1 to 2 ft.	1 25
15	English Daisies	1 25
25	Evening Primroses (<i>Oenothera fruticosa</i>)	1 40

25	Foxgloves. 3 kinds	\$1 50
25	Forsythia suspensa. 3 to 4 ft.	1 50
25	F. Fortunei. 2 to 4 ft.	1 50
25	Forsythias. 3 kinds	1 65
25	Gaillardia	1 45
20	Gypsophila paniculata	1 50
25	Heleniums. 2 kinds	1 50
25	Helenium autumnale	1 35
25	Hardy Chrysanthemums. 3 kinds	1 60
25	Hardy Maples. 3 to 5 ft. 3 kinds	2 00
25	Helianthus. 3 kinds	1 50
25	H. orgyalis	1 55
15	Hemerocallis. 3 kinds	1 50
20	Heliopsis. 2 kinds	1 35
15	Hardy Pentstemons. 3 kinds	1 15
25	Hop Vines	1 10
25	Hybrid Phlox. Mixed colors	1 20
20	Hydrangea paniculata grandiflora. 18 to 24 in.	1 75
25	Hypericum elegans	1 00
25	Irises. 4 kinds—Japan, German, English and Spanish ..	1 15
25	“ 8 kinds	1 40
25	Iceland Poppies	1 35
50	Lilies. 5 kinds	3 50
50	“ 12 kinds	4 00
25	“ 8 kinds	2 15
12	Plantain Lilies. 3 kinds	1 15
25	Lilium Thunbergii	1 55
25	Mixed Hollyhocks	1 50
25	Mertensia Virginica (Virginian Cowslip)	1 45
25	Native Birches. 3 kinds. 3 to 5 ft.	1 90
20	Moss Pinks (<i>Phlox subulata</i>)	1 60
25	Perennial Sunflowers. 3 kinds	1 50
25	Perennial Larkspurs. 3 kinds	1 50
15	Perennial Poppies. 2 kinds	1 10
10	Pin Oaks. 4 to 6 ft.	3 00
20	Philadelphus pubescens (grandiflorus). 2 to 4 ft.	1 70
15	Paper or Canoe Birches. 3 to 5 ft.	1 20
25	Pansies	60
15	Chinese Balloon Flower (platycodon)	1 40
25	Single Roses. 3 to 5 kinds	1 45
25	Lupines	1 50
25	Trilliums. 4 kinds	1 10
50	“ 3 kinds	2 10
25	Virgin's Bower Clematis	1 25
25	Vines and Climbers. 4 kinds	1 45
25	Viburnums. 4 kinds. 2 to 4 ft.	1 75
12	“ 3 kinds. 2 to 3 ft.	1 00
25	Veronicas. 3 kinds	1 45
10	Red Cedars. Juniper. 3 to 5 ft.	1 00
15	Yellow Birches. 3 to 5 ft.	1 25
20	Witch Hazel (Hamamelis). 2 to 3 ft.	1 20
15	White Pines. 4 to 5 ft.	2 00
25	Sugar Maples. 3 to 4 ft.	2 00

25 Virginia Creeper, or Woodbine	\$1 35
25 Rosa rugosa. 1 to 2 ft.	1 75
25 Violets. 3 kinds	1 40
25 Horned Violets. 2 kinds	1 50
25 Silenes. 2 kind.	1 50
25 Stone Crops, or Sedums, in var. For rockwork	1 40
25 Sedum spectabile	1 50
25 Rock Soapwort (<i>Saponaria ocymoides</i>)	1 60
20 St. Bernard's Lily (<i>Anthericum</i>)	1 35
20 Musk Mallows	1 50
20 Rosy Strife, or Lythrum	1 15

List of Plants Which Come into Flower Between Early Spring and June 10

See Our Spring Catalogue for Descriptions

	Each	Doz.
<i>Actæa alba</i>	\$0 15	\$1 40
<i>A. spicata</i> , var. <i>rubra</i> . Shade	15	
<i>Adonis vernalis</i> (Pheasant's Eye)	15	1 40
<i>Alyssum saxatile compactum</i>	12	1 25
<i>Anemone nemorosa</i> fl. pl. Shade	15	1 25
<i>A. pulsatilla</i>	25	
<i>A. sylvestris</i>	10	1 00
<i>Aquilegia Canadensis</i>	10	1 00
<i>A. oxysepala</i>	15	1 25
<i>Arabis albida</i>	12	1 15
<i>Camassia Cusickii</i>	15	1 25
<i>Dodecatheon Meadia</i> . Shade	12	1 10
<i>Epimedium macranthum</i>	15	
<i>E. Muschianum</i> , var. <i>rubrum</i>	15	1 25
<i>Hepatica acutiloba</i> . Shade	12	1 00
<i>H. triloba</i> . Shade	12	1 00
<i>Iberis sempervirens</i> and <i>I. Tenoriana</i>	15	1 25
<i>Jeffersonia binata</i> . Shade	15	1 35
<i>Iris cristata</i>	10	1 00
<i>Lychnis alpina</i>	15	1 20
<i>L. dioica rosea</i>	12	1 10
<i>Mertensia pulmonarioides</i>	15	1 25
<i>Papaver alpinum</i>	15	
<i>P. nudicaule</i>	12	1 10
<i>P. orientale</i>	15	1 20
<i>Phlox subulata</i>	15	1 10
<i>P. reptans</i>	15	1 35
<i>Polemonium cæruleum</i>	15	
<i>P. Himalayense</i>	12	
<i>Primula officinalis</i>	10	1 00
<i>Sanguinaria Canadensis</i> . Shade	10	80
<i>Thalictrum dioicum</i> . Shade	10	1 00
<i>Tiarella cordifolia</i> . Shade	12	1 00
<i>Uvularia grandiflora</i> . Shade	10	1 00
<i>Viola alpestris</i>	10	1 00

	Each	Doz.
<i>V. Canadensis</i> . Shade	\$0 10	\$1 00
<i>Cypripedium acaule</i> . Shade.....	15	1 25
<i>C. candidum</i> . Shade	20	1 75
<i>C. montanum</i> . Shade	15	1 25
<i>C. parviflorum</i> . Shade.....	25	
All the Trilliums. See page 6.		
Daffodils, Tulips, Erythroniums, Fritillarias, etc. See pages 3 to 5.		

Partial List of Plants Which Usually Bloom Between June 10 and August 15

	Each	Doz.
<i>Achillea Filipendula</i>	\$0 20	\$1 40
<i>A. millefolium roseum</i>	12	1 15
<i>A. ptarmica</i> , var. "The Pearl".....	10	1 00
<i>Aconitum Napellus</i>	15	1 25
Single Mixed Hollyhocks.....		75
<i>Anthemis tinctoria</i> and <i>Kelwayi</i>	10	1 00
<i>Aquilegia chrysantha</i>	15	1 25
<i>Armeria plantaginea</i> (Sea Pink).....	15	1 25
<i>Asclepias tuberosa</i>	12	1 00
<i>Alyssum argenteum</i>	15	1 25
<i>Bocconia cordata</i>	10	1 00
<i>Baptisia australis</i>	20	
<i>Campanula Carpatica</i>	15	1 25
<i>C. Medium</i>	10	1 00
<i>C. pyramidalis</i>	15	1 50
<i>C. Raineri</i>	15	1 40
<i>Catananche cærulea</i>	15	1 10
<i>Callirrhoe involucrata</i>	12	
<i>Chrysanthemum coccineum</i>	15	1 50
<i>C. maximum</i>	12	1 10
<i>C.</i> , Shasta Daisy	15	1 25
<i>Clematis recta</i>	15	1 15
<i>Coreopsis lanceolata</i>	12	1 00
<i>Delphinium grandiflorum</i>	10	1 00
<i>D. formosum</i>	15	
<i>Digitalis ambigua</i>	15	1 25
<i>D. gloxinioides</i>	15	1 25
<i>Echinacea purpurea</i>	15	1 15
<i>Echinops Ritrio</i> (Globe Thistle)	15	
<i>Erigeron glaucus</i>	15	1 30
<i>Euphorbia corollata</i>	12	1 10
<i>Funkia ovata</i> and var. <i>Thomas Hogg</i>	20	1 60
<i>Gaillardia aristata</i>	12	1 10
<i>Gypsophila paniculata</i> (Baby's Breath).....	15	1 25
<i>Helianthus rigidus</i>	10	1 00
<i>Heliopsis Pitcheriana</i>	12	1 10
<i>Hemerocallis Thunbergii</i>	20	1 75
<i>Heuchera sanguinea</i>	15	1 25
<i>Iris lævigata</i> (Japan Iris). See Spring List.		
<i>Lathyrus latifolius</i>	15	

	Each	Doz.
<i>Lilium auratum</i>	\$0 15	\$1 35
<i>L. superbum</i>	15	1 25
<i>L. Dahuricum</i>	15	1 25
<i>L. elegans atrosanguineum</i>	15	1 25
<i>L. " Thunbergianum</i>	15	1 25
<i>Linum flavum</i>	12	1 20
<i>Lychnis Chalcedonica</i>	15	1 15
<i>L. coronata</i>	15	1 25
<i>Monarda didyma</i>	20	1 60
<i>Platycodon grandiflorum</i>	12	1 10
<i>Rudbeckia</i> (Golden Glow)	10	1 00
<i>Trollius Europæus</i> (Globe Flower)	15	
<i>Ulmaria Filipendula</i>	12	1 15
<i>U. " var. fl. pl.</i>	15	1 35
<i>Veronica spicata</i>	10	1 00
<i>Dracocephalum nigrum</i>	15	1 25

List of Plants Coming into Flower Between August 15 and Winter

	Each	Doz.
<i>Anemone Japonica</i> , vars. <i>rubra</i> , <i>rosea</i> <i>superba</i> and Whirlwind	\$0 15	\$1 50
<i>Aster alpinus</i>	15	1 35
<i>A.</i> , <i>Novæ-Angliæ</i>	10	1 00
<i>A.</i> , <i>sp.</i> , var. <i>Rob Parker</i>	25	
<i>Boltonia latisquama</i>	15	1 25
<i>B. asteroides</i>	15	
<i>Funkia subcordata</i>	25	
<i>Helenium autumnale</i>	15	1 25
<i>H. autumnale</i> , var. <i>superbum</i>	15	1 40
<i>H. nudiflorum</i> , var. <i>grandicephalum</i>	15	1 40
<i>Hibiscus militaris</i>	15	1 35
<i>H. Moscheutos</i>	12	1 15
<i>H. " Crimson Eye</i>	15	1 20
<i>Liatris cylindracea</i>	10	1 00
<i>L. pycnostachya</i>	15	1 15
<i>Lilium speciosum album</i>	20	1 60
<i>L. speciosum rubrum</i>	15	1 25
<i>L. sulphureum</i>	2 00	
<i>Phlox paniculata</i> , Mixed Hybrids	10	1 00
<i>P. paniculata</i> , Separate Colors. See Spring List and list on page 10 of Supplement.		
<i>Helianthus Maximiliana</i>	20	
<i>H. mollis</i>	12	1 10
<i>H. orgyalis</i>	15	1 25
<i>Platycodon autumnale</i>	12	1 15
<i>Bessera elegans</i> . Winter in warm, dry place	06	50
<i>Milla biflora</i> . Winter in warm, dry place	08	50

FRED'K. H. HORSFORD

Charlotte, Vermont

FRED'K H. HORSFORD

Charlotte, Vermont, U. S. A.